MEC) .14166

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

		FOR INSURANCE COMPANY USE			
BUILDING OWNER'S NAME		POLICY NUMBER			
DOHN & ZMM					
STREET ADDRÉSS (Including Ap RIVER		COMPANY NAIO NUMBER			
OTHER DESCRIPTION (Lot and 8			شدو الراز المنبس المعران الدوائق	and the second	
Lot 115 Ric	ER POINTE	<u>PLANTAT</u>	ion phase thre	STATE	ZIP CODE
ALBANY				GA.	31701
	SECTION B FL	OOD INSUR	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	he proper FIRM (See	Instructions):			•
1. COMMUNITY NUMBÉR	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	8. BASE FLOOD ELEVATION (in AO Zones, use depth)
130074	0010	A	APRIL 17, 1978	A-14	193.60
3. For Zones A or V, where	no BFE is provided o	n the FIRM, at	ase Flood Elevations (BFE nd the community has est FIRM datum–see Section	ablished a BFE f	Other (describe on back) or this building site, indicate
			ING ELEVATION INFORM		
the selected diagram, (c), FIRM Zone A (without below (check one) (d), FIRM Zone AO. The one) the highest grade level) elevated in account of the comments on Pagathe FIRM [see Section equation under Comments)	VE, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade action used as the reference adjacent to the build ordance with the community and the system used in dogs 2). (NOTE: If the B, Item 7), then convents on Page 2.)	The bottom I as the refere liacent to the trence level fro ling. If no floor nunity's floodp etermining the elevation datu ert the elevation	of the lowest horizontal standard from the selected building. In the selected diagram is a depth number is availabulain management ordinant above reference level elem used in measuring the cons to the datum system uses to the datum system uses the selected in the selected in the system uses the selected in the selected in the system uses the selected in the selec	M daturn—see S d diagram is feet a le, is the building ce? Yes evations: \begin{align} NG elevations is diffe sed on the FIRM	L feet above or above or below (check is lowest floor (reference) No Unknown VD '29 Other (describe
4. Elevation reference mari	k used appears on Fil	RM: 🗌 Yes l	∠No (See Instructions of the contract of	n Page 4)	
case this certificate will o will be required once con	tion drawings is only nly be valid for the bu struction is complete.	valid if the buil ilding during ti)	Iding does not yet have the course of construction.	e reference leve A post-construc	ction Elevation Certificate
6. The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to the	ne building is: 11196	l. [2] feet NGVD	(or other FIRM datum-see
	S	ECTION D C	OMMUNITY INFORMATION	ON	and an analysis of the Anne Miller Co. Mille
is not the "lowest floor" a	as defined in the commordinance is:	nunity's floodp	ilain management ordinan NGVD (or other FIRM dat	ce, the elevation um–see Section	


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community Issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME			LICENSE NUMBER (or Affix S	Seal)				
Ritchey M. Marbu	ry, III	GA R.L.S. 1495						
President		company name Marbury Engineering Co.						
ADDRÉSS		CITY		STATE	ZIP			
2334 Lake Park D	rive	Albany	in the second state of	GA	31707			
SIGNATURE Setiling M. Marbays tel		DATE FEB 17,1999		PHONE 912-435-	PHONE 912-435-6133			
Copies should be made of this) community offici	al, 2) insurance agent/c	ompany, and 3) building	owner.			
COMMENTS:								
				,,				
			~					



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.